



E SANTE
ROBOTIK
TECHNOLOGY



BLISTER PACK SOLUTIONS

BP 290 with Oculus

Size (width x depth x height)	64(w), 41(D), 79 (H)
Weight	1,560 lbs
On-board RFID canisters (cassettes)	290
S.D.M. (Self Dispensing Module)	42
Power Supply (Electricity)	220 V / 15 Amps
Semi-universal cassettes	3
Speed for dispensing	50- 60 blister cards (per hour)





**E SANTE
ROBOTIK
TECHNOLOGY**



BLISTER PACK SOLUTIONS

Blister 86 with Oculus

Size (width x depth x height)	77.95 (w), 42.51 9(D), 24.19 (H)
Weight	723.11 lbs
On-board RFID canisters (cassettes)	86
S.D.M. (Self Dispensing Module)	42
Power Supply (Electricity)	220 V / 15 Amps
Semi-universal cassettes	6
Speed for dispensing	45 cells per min





E SANTE
ROBOTIK
TECHNOLOGY



POUCH PACKING SOLUTIONS

RT 240 with Oculus

Size (width x depth x height)	31.49(w), 34.49(D), 71.41(h)
Weight	1,153 lbs
On-board RFID canisters (cassettes)	240
S.D.M. (Self Dispensing Module)	30 cell
Power Supply (Electricity)	220V/ 50-60Hz
Semi-universal cassettes	20
Speed for dispensing	45 Pouchs /min (max)
Control method	Android tablet
Dispensing module	Multi-dose/Single dose
Inspection function with vision	Yes
Installation /Ventilation	min. 20 cm from wall / 5 ventilations





E SANTE
ROBOTIK
TECHNOLOGY



POUCH PACKING SOLUTIONS

RT 440 with Oculus

Size (width x depth x height)	41.14(w),43.70(D), 78.34(H)
Weight	1,499.14 lbs
On-board RFID canisters (cassettes)	440
S.D.M. (Self Dispensing Module)	42
Power Supply (Electricity)	220V/ 50-60Hz
Semi-universal cassettes	20
Speed for dispensing	45 Pouchs /min (max)
Control method	Android tablet
Dispensing module	Multi-dose/Single dose
Inspection function with vision	Yes
Installation /Ventilation	min. 20 cm from wall / 5 ventilations

